



**AIT** ALGORITHMIC  
INFORMATION  
THEORY  
VAASA FINLAND  
1999 - 19th May 2006





AIT  
[Name]  
[Title]

**AIT** ALGORITHMIC  
INFORMATION  
THEORY  
VAASA FINLAND  
18th - 20th May 2005



3M



# AIT

**ALGORITHMIC  
INFORMATION  
THEORY**

VAASA FINLAND  
16th – 18th May 2005

Welcome



abs/10/0404333 what is a law?



A man in a black shirt and glasses stands next to a whiteboard. He is gesturing towards the whiteboard with his right hand. The whiteboard contains handwritten text and a diagram. The text includes 'abs/10/0404333' and 'what is a law?'. The diagram is a square with a wavy line inside, possibly representing a function or a set boundary.

$$\Omega = \sum_{p \text{ halts}} 2^{-|p|}$$

$0 < \Omega < 1$   
halting problem



$$\Omega = \sum_{p \text{ halts}} 2^{-|p|} \quad 0 < \Omega < 1$$

halting problem



Tymoczko New Directions in Philosophy  
of Math





 **AIT** ALGORITHMIC  
INFORMATION  
THEORY  
VAASA FINLAND  
16th - 18th May 2005

AIT  
[Name]  
[Title]

3M





AIT  
Steve Buckner  
MIT  
Name

PHILIPS

Epson  
E-2000  
Model No. E-2000  
Serial No. E-2000  
Barcode  
Epson America, Inc.  
Salem, Oregon, USA



# Reduction to Groebner Bases Computation

In[72]:=

```
{time, GB} =
GroebnerBasis[{-i1 + x1^2 + x2^2, -i2 + x1^2 x2^2, -i3 + x1^3 x2 - x1 x2^3},
{x2, x1, i3, i2, i1}] // Timing
```

Out[72]=

```
{0. Second, {i1^2 i2 - 4 i2^2 - i3^2, -i2 + i1 x1^2 - x1^4, i1^2 i3 x1 - 2 i2 i3 x1 - i1 i3 x1^3 + i1^2 i2 x2 -
i1^2 x1 - 2 i2 x1 - i1 x1^3 + i3 x2, -i1 i3 + 2 i3 x1^2 - i1^2 x1 x2 + 4 i2 x1 x2,
-i3 x1 - 2 i2 x2 + i1 x1^2 x2, -i3 - i1 x1 x2 + 2 x1^3 x2, -i1 + x1^2 + x2^2}}
```

In[73]:=

```
PolynomialReduce[x1^7 x2 - x1 x2^7, GB, {x2, x1, i3, i2, i1},
MonomialOrder -> Lexicographic]
```

Out[73]=

```
{{{0, -i3 - 1/2 i1 x1 x2 - x1^3 x2, 0, 3/4 i1 x2 - 1/2 x1^2 x2 + x2^3/2, i1 - x1^2/2 + 3 x2^2/4,
3 i1 x1^2 x2^4 - 1 i2 x1^2 x2^5 + i1^2 i3 x1^2 x2^5}}
```









